**ORDAIN**™
AV Connect Forever

# DIGITAL PODIUM

**OS-MP-403**

Gooseneck Mic | Notebook | Document Camera | Multimedia Controller | Inbuilt Handheld and Receiver

**Visit us at:** www.ordainindia.com | E-mail: sales@ordainindia.com or marketing@soundshine.co.in

**Corporate Office**: - E-136, 3ʳᵈ Floor, Sector 7, Noida, UP-201301 | **Marketing By: - Soundshine Projects Private Limited**

# AV Connect Forever

## Podium Features

Used in University, Middle/ High Schools, Meeting Room, Auditorium, Polytechnic High Tech Rooms, Smart Classroom

- Ergonomically designed interface, expert quality, powder coated steel body.
- Easy moving wheels / caster with locks.
- The effective lesson through wire/ wireless microphones *(optional).*
- High quality gooseneck microphone (low howling noise) *(optional).*
- Control all multimedia devices in classroom by the convenient integratedcontroller (*optional).*
- The super structure composite with 19" / 21.5" LED tablet monitor.
- Pneumatic lifting tablet monitor.
- Touch pen *(optional).*
- Movable keyboard tray with locks.
- Central control panel for switching all inputs *(optional).*
- Storage drawer for visualizer.
- Laptop interface / ports (*optional).*
- CD / DVD Drive (optional) (main frame in the cabinet).
- High Power Amplifier and speakers *(optional).*
- Central Locking - RFID / Bio Metric access (optional) for secure access to the system.
- 120mm sized cooling fan for device temperature control.
- International Standard equipment rack.
- Annotation software, white board, Screen Capturing Sessionrecording and export to PDF.
- Podium Dimension- Front Height 44" / Height from Presenter side42"/Top depth 28"/Top width of 26"

Visit us at: www.ordainindia.com | E-mail: sales@ordainindia.com or marketing@soundshine.co.in

**Corporate Office**: - E-136, 3^rd Floor, Sector 7, Noida, UP-201301 | **Marketing By: - Soundshine Projects Private Limited**

# SPECIFICATIONS

| Model | OS-MP-403 |
|---|---|
| Type/Mounting | Free Standing |
| Construction | The Lectern is wheel mounting capable of moving in all direction with facility of locks. The Enclosure made of 1.6 mm thick CRCA polymer powder coated, design to  work in harsh environmental conditions and vandal resistant |
| Touch Display | 21.5" Touch projected Capacitive p-cap Colour LCD Touch monitor, Antiglare Resolution 1280 X 1024/1920 X 1080 Brightness 250 nits |
| | Active Matrix Color TFT Scratch resistant when used with Electronic Pen / StylusBuilt in highly sensitive interactive panel with TILT functionality |
| Electronic Pen | Electronic pen with 2 buttons forbetter editing                              Active Touch pen |
| Enclosure Ports | USB 3.0*2, VGA IN/  HDMI IN/   DVI ports, Power socket |
| SYSTEM DETAILS | |
| Processor & Chipset | Support CPU (4th / 6th / 7th) Intel Pentium Dual Core / Quad Core - i3 / i5 / i7/AMD A8 / A10 Intel H / B / Q Series -  AMD A Series |
| Storage | 320GB SSD/500GB / 1TB / 2TB 5400 rpm/ 7200 rpm SATA Ill  HDD |
| Optical Drive | Support 1 x 8x/22x" ODD (Internal/External)       Support 1 x 8x / 22x" External ODD |
| Memory | RAM: 2/4/8/16 GB 1600/1866/2133/2400 MHz DDR3 / DDR4 |
| LAN | 10/100/1000 Mbps/ wifi 802.11 |
| 1/0 Ports | 6 3.0/3.1 USB Ports, DVI-D /VGA/ 1*HDMl/2*DISPLAY port. Audio Ports for Mic and Headphone, PS/2 Keyboard / Mouse, RJ45 Port |
| Speakers | 2 x 25 Watt RMS Stereo (optional) |
| CPU Cabinet | Mini / SFF / Tower                                            AIO |
| Certificate | BIS/ ROHS/ NABL / ISO 9001 / ISO 14001 / ISO 27001/ Green PC |
| Operating System | Windows 10 Home I 10 Pro / 11 Home / 11 Pro /LINUX |
| Power Supply | 180 - 240 V, S0Hz, AC Supply |
| Cooling | 1 / 2 Fans (optional) |
| Power Management | Screen Blanking, Setup Password, Power supply SMPS Surge protected |
| Antivirus | Microsoft Defender preloaded / Quick Heal Pro / McAfee® Total Protection / etc. (optional) |
| Accessories | Power Cable, USB wired 104 Keys Bilingual / Standard / Mechanical Keyboard, USB wired Mouse |
| ENVIRONMENTAL | |
| EMC & Safety | FCC Class B for EMC and CE Marking (for CPU and Display) |
| Temp. & Humidity | Operating Ambient temperatures - So C to 400 CStorage Temperature - (-)100 C to 550 C Operating Humidity - 400 at 90% RH non-condensingStorage Humidity - 400 at 90% RH non-condensing |
| Annotation Software | Includes features like draw, choose pens, annotate, erase, color, shape, size, text, edit, font, stamp, move, capture picture, video, save, rotate, undo, image gallery, print, floating keyboard and background |
| Console Panel Ports | 1 X RGB Input (other than input of PC in the Lectern to facilitate extra PC/Laptop/Visualizer. USB Port from the panel to facilitate inputs directly from the pen drive/USB based Hard disk drive. RJ45 LAN port at the panel to connect network. Selection switches to toggle between various sources for the output on the projection screen. |
| Built-in Device | On the panel with easy access and control consisting of Gooseneck Microphone, Hand held Cordless Microphone, Cordless Collar Microphone Headphone Microphone, Audio system with built in Amplifier (60w/100/120 Watt Volume Control), Two/Four External Speakers RMS 25 Watt each., Audio Visual Switch with 4 input ports (RGB / HDMI / DVI / RCA) and 2 Output ports for selection of source. (optional) |
| PROVISION FOR ADDITIONAL DEVICE | |
| | Sliding tray for LAPTOP/ NOTEBOOK / TABLET Sliding Shelf for Input device / visual presenter/ books I documents Space for Keyboard and Mouse |
| Security | Built-In optional RFID authentication system or Bio metric for secure access tosystem (Central Locking) (optional) |
| Warranty | 12 months |